

## Dr. Manmohan Singh Biring

### PUBLICATIONS

The National Emphysema Treatment Trial Research Group  
Clinical characteristics and prediction of pulmonary hypertension in severe emphysema  
Respir Med. 2013 Nov 19. pii: S0954-6111(13)00447-2. Doi

The National Emphysema Treatment Trial Research Group  
Severe chronic bronchitis in advanced emphysema increases mortality and hospitalizations.  
COPD. 2013 Dec;10(6):667-78. doi: 10.3109/15412555.2013.827166. Epub 2013 Aug 26.

The National Emphysema Treatment Trial Research Group  
Factors to inform clinicians about the end of life in severe chronic obstructive pulmonary disease.  
J Pain Symptom Manage. 2013 Oct;46(4):491-499.e4. doi:

The National Emphysema Treatment Trial Research Group  
Optimizing the 6-min walk test as a measure of exercise capacity in COPD.  
Chest. 2012 Dec;142(6):1545-52. doi: 10.1378/chest.11-2702.

The National Emphysema Treatment Trial Research Group  
Weight gain after lung reduction surgery is related to improved lung function and ventilatory efficiency.  
Am J Respir Crit Care Med. 2012 Dec 1;186(11):1109-16. doi: 10.1164/rccm.201203-0538OC. Epub 2012 Aug 9.

The National Emphysema Treatment Trial Research Group  
Lung deflation and oxygen pulse in COPD: results from the NETT randomized trial  
Respir Med. 2012 Jan;106(1):109-19. doi: 10.1016/j.rmed.2011.07.012. Epub 2011 Aug 16.

The National Emphysema Treatment Trial Research Group  
The minimal important difference of exercise tests in severe COPD  
Eur Respir J. 2011 Apr;37(4):784-90. doi: 10.1183/09031936.00063810. Epub 2010 Aug 6

The National Emphysema Treatment Trial Research Group  
Perfusion scintigraphy and patient selection for lung volume reduction surgery.  
Am J Respir Crit Care Med. 2010 Oct 1;182(7):937-46. doi: 10.1164/rccm.201001-0043OC. Epub 2010 Jun 10

The National Emphysema Treatment Trial Research Group  
Anxiety is associated with diminished exercise performance and quality of life in severe emphysema: a cross-sectional study.  
Respir Res. 2010 Mar 9;11:29. doi: 10.1186/1465-9921-11-29.

The National Emphysema Treatment Trial Research Group  
Physiological and computed tomographic predictors of outcome from lung volume reduction surgery

Am J Respir Crit Care Med. 2010 Mar 1;181(5):494-500. doi: 10.1164/rccm.200906-0911OC. Epub 2009 Dec 3.

The National Emphysema Treatment Trial Research Group  
Prevalence and clinical correlates of bronchoreversibility in severe emphysema  
Eur Respir J. 2010 May;35(5):1048-56. doi: 10.1183/09031936.00052509. Epub  
2009 Nov 19

The National Emphysema Treatment Trial Research Group  
Integrating health status and survival data: the palliative effect of lung volume  
reduction surgery.  
American Journal of Respiratory & Critical Care Medicine. 180(3):239-46, 2009 Aug  
1.

The National Emphysema Treatment Trial Research Group  
CT metrics of airway disease and emphysema in severe COPD.  
Chest. 136(2):396-404, 2009 Aug.

The National Emphysema Treatment Trial Research Group  
Effects of lung volume reduction surgery on gas exchange and breathing pattern  
during maximum exercise  
Chest. 135(5):1268-79, 2009 May

The National Emphysema Treatment Trial Research Group  
The impact of using different imputation methods for missing quality of life scores  
on the estimation of the cost-effectiveness of lung-volume-reduction surgery.  
Health Economics. 18(1):91-101, 2009 Jan

The National Emphysema Treatment Trial Research Group  
Continuous oxygen use in nonhypoxemic emphysema patients identifies a high-risk  
subset of patients: retrospective analysis of the National Emphysema Treatment  
Trial.  
Chest. 134(3):497-506, 2008 Sep.

The National Emphysema Treatment Trial Research Group  
Longitudinal change in the BODE index predicts mortality in severe emphysema.  
American Journal of Respiratory & Critical Care Medicine. 178(5):491-9, 2008 Sep  
1.

The National Emphysema Treatment Trial Research Group  
Changes in arterial oxygenation and self-reported oxygen use after lung volume  
reduction surgery.  
American Journal of Respiratory & Critical Care Medicine. 178(4):339-45, 2008 Aug  
15.

The National Emphysema Treatment Trial Research Group  
A clinician's guide to the use of lung volume reduction surgery.  
Proceedings of the American Thoracic Society. 5(4):461-7, 2008 May 1.

The National Emphysema Treatment Trial Research Group  
Exercise testing in severe emphysema: association with quality of life and lung  
function.  
COPD: Journal of Chronic Obstructive Pulmonary Disease. 5(2):117-24, 2008 Apr.

The National Emphysema Treatment Trial Research Group  
Costs of pulmonary rehabilitation and predictors of adherence in the national emphysema treatment trial.  
COPD: Journal of Chronic Obstructive Pulmonary Disease. 5(2):105-16, 2008 Apr.

The National Emphysema Treatment Trial Research Group  
The effect of lung volume reduction surgery on chronic obstructive pulmonary disease exacerbations.  
American Journal of Respiratory & Critical Care Medicine. 177(2):164-9, 2008 Jan 15.

The National Emphysema Treatment Trial Research Group  
Sex, depression, and risk of hospitalization and mortality in chronic obstructive pulmonary disease.  
Archives of Internal Medicine. 167(21):2345-53, 2007 Nov 26.

The National Emphysema Treatment Trial Research Group  
Estimating pulmonary artery pressures by echocardiography in patients with emphysema.  
European Respiratory Journal. 30(5):914-21, 2007 Nov.

The National Emphysema Treatment Trial Research Group  
Effect of lung volume reduction surgery on resting pulmonary hemodynamics in severe emphysema.  
American Journal of Respiratory & Critical Care Medicine. 176(3):253-60, 2007 Aug 1.

The National Emphysema Treatment Trial Research Group  
Sex differences in severe pulmonary emphysema.  
American Journal of Respiratory & Critical Care Medicine. 176(3):243-52, 2007 Aug 1.

The National Emphysema Treatment Trial Research Group  
Lung volume reduction surgery in patients with emphysema and alpha-1 antitrypsin deficiency.  
Annals of Thoracic Surgery. 83(1):241-51, 2007 Jan.

The National Emphysema Treatment Trial Research Group  
Lung volume reduction surgery in patients with emphysema and alpha-1 antitrypsin deficiency.  
Annals of Thoracic Surgery. 83(1):241-51, 2007 Jan.

The National Emphysema Treatment Trial Research Group  
Long-term follow-up of patients receiving lung-volume-reduction surgery versus medical therapy for severe emphysema by the National Emphysema Treatment Trial Research Group  
Annals of Thoracic Surgery. 82(2):431-43, 2006 Aug

The National Emphysema Treatment Trial Research Group  
Patient and surgical factors influencing air leak after lung volume reduction surgery: lessons learned from the National Emphysema Treatment Trial.  
Annals of Thoracic Surgery. 82(1):197-206; discussion 206-7, 2006 Jul.

The National Emphysema Treatment Trial Research Group  
Advanced emphysema in African-American and white patients: do differences exist?  
Chest. 130(1):108-18, 2006 Jul.

The National Emphysema Treatment Trial Research Group  
Predictors of mortality in patients with emphysema and severe airflow obstruction  
American Journal of Respiratory & Critical Care Medicine. 173(12):1326-34, 2006 Jun 15.

The National Emphysema Treatment Trial Research Group  
Predictors of operative mortality and cardiopulmonary morbidity in the National Emphysema Treatment Trial.  
Journal of Thoracic & Cardiovascular Surgery. 131(1):43-53, 2006 Jan.

The National Emphysema Treatment Trial Research Group  
The effects of pulmonary rehabilitation in the national emphysema treatment trial  
Chest. 128(6):3799-809, 2005 Dec.

The National Emphysema Treatment Trial Research Group  
Effects of lung volume reduction surgery on sleep quality and nocturnal gas exchange in patients with severe emphysema.  
Chest. 128(5):3221-8, 2005 Nov.

The National Emphysema Treatment Trial Research Group  
Measurement of Health-Related Quality of Life in the National Emphysema Treatment Trial  
Chest. 126(3):781-789, September 2004

The National Emphysema Treatment Trial Research Group  
Methodologic issues in terminating enrollment of a subgroup of patients in a multicenter randomized trial.  
Clinical Trials. 1(3):326-38, 2004.

The National Emphysema Treatment Trial Research Group  
Safety and efficacy of median sternotomy versus video-assisted thoracic surgery for lung volume reduction surgery.  
Journal of Thoracic & Cardiovascular Surgery. 127(5):1350-60, 2004 May.

Lewis, MI, Li, H, Huang, Z, Biring, MS, Cercek, B, Fournier, M.  
Influence of varying degrees of malnutrition on IGF-I expression in the rat diaphragm.  
Journal of Applied Physiology. 95(2):555-62, 2003 Aug.

The National Emphysema Treatment Trial Research Group  
Six-minute walk distance in chronic obstructive pulmonary disease: reproducibility and effect of walking course layout and length.  
American Journal of Respiratory & Critical Care Medicine. 167(11):1522-7, 2003 Jun 1.

The National Emphysema Treatment Trial Research Group  
A randomized trial comparing lung-volume-reduction surgery with medical therapy

for severe emphysema

New England Journal of Medicine. 348(21):2059-73, 2003 May 22

The National Emphysema Treatment Trial Research Group

Cost effectiveness of lung-volume-reduction surgery for patients with severe emphysema.

New England Journal of Medicine. 348(21):2092-102, 2003 May 22.

The National Emphysema Treatment Trial Research Group

Hemodynamic characterization of patients with severe emphysema.

American Journal of Respiratory and Critical Care Medicine. 166: 314-322: 2002

The National Emphysema Treatment Trial Research Group

Patients at high risk of death after lung-volume-reduction surgery

New England Journal of Medicine. 345(15):1075-83, 2001 Oct 11.

Manmohan S Biring, Susan R Madison, Zab Mohsenifar.

Use of the Forced Inspiratory Vital Capacity in identifying Bronchodilator Reversibility in Obstructive Lung Disease

Journal of Asthma. 38(6):495-500, 2001 Sep

Lewis MI, Huang ZS, Cercek B, Li H, Biring MS, Fournier M.

The influence of varying degrees of malnutrition on IGF-1 in the rat diaphragm.

American Journal of Respiratory and Critical Care Medicine. 161: A18: 2000.

The National Emphysema Treatment Trial Research Group

Rationale and Design of the National Emphysema Treatment Trial

Journal of Cardiopulmonary Rehabilitation. 20(1):24-36, January/February 2000.

Manmohan S Biring, Michael I Lewis, John T Liu, Zab Mohsenifar.

Pulmonary Physiologic Changes of Morbid Obesity.

American Journal of the Medical Sciences 1999; 318(5): 293-7

Manmohan S Biring, Michael I Lewis, John T Liu, Zab Mohsenifar.

Pulmonary Physiologic Changes of Morbid Obesity.

Published by the Dannemiller Memorial Foundation in AnesthesiaFile

Lewis MI, Bulut Y, Biring MS, Da X, Fournier M.

IGF-1 administration prevents corticosteroid induced diaphragm atrophy in emphysema.

American Journal of Respiratory and Critical Care Medicine. 159: A580: 1999.

The National Emphysema Treatment Trial Research Group

Rationale and design of the National Emphysema Treatment Trial (NETT) : A

prospective randomized trial of lung volume reduction surgery

Journal of Thoracic & Cardiovascular Surgery. 118(3):518-528, September 1999

The National Emphysema Treatment Trial Research Group

Rationale and Design of the National Emphysema Treatment Trial: A Prospective

Randomized Trial of Lung Volume Reduction Surgery. Chest. 116(6):1750-1761,

December 1999

Manmohan S. Biring, Mario Fournier, David J. Ross, and Michael I. Lewis. Cellular adaptations of skeletal muscles to cyclosporine  
Journal of Applied Physiology. 1998 84: 1967-1975.

Manmohan S. Biring, Mario Fournier, and Michael I. Lewis.  
Effects of nandrolone on the diaphragm of malnourished emphysematous hamsters.  
American Journal of Respiratory and Critical Care Medicine. 157: A666: 1998

Manmohan S Biring, Michael I Lewis, John T Liu, Zab Mohsenifar.  
Pulmonary Physiologic Changes of Morbid Obesity.  
American Journal of Respiratory and Critical Care Medicine. 157: A368: 1998

Manmohan S. Biring, Mario Fournier, and Michael I. Lewis.  
Effects of Cyclosporine A on cellular properties of diaphragm and limb muscles.  
American Journal of Respiratory and Critical Care Medicine. 155: A509: 1997